

### Patient profile

Enterprise One received 92 completed referral questionnaires in this period (all services, n = 452)

Demographic information	Your service	All services	
Sex (female)	65.2%	67.5%	
Average age (years)	12.5	12.5	
Aboriginal and/or Torres Strait Islander	6.0%	6.5%	
Living in highest disadvantage area	10.8%	14.1%	
Clinical characteristics (carer reported)	Your service	All services	
Patients using medication daily	56.8%	58.0%	
Patients using opioid medication daily (excluding codeine)	n daily 5.8%		
Outside healthy weight range	50.0%	44.0%	
Patients experiencing pain > 12-months	riencing pain > 12-months 66.7%		
School days missed in last 2 weeks (Avg)	3.8	4.0	
Carer work impairment due to child's pain (Average %)	44.4%	45.9%	

Clinical characteristics (patient reported)	Your service	All services	
Pain severity	5.2	5.2 📕	
	Mild / Moderate / Severe		
PedsQL Total	48.0	47.7	
- Psychosocial	51.7	51.4	
- Physical	41.2	40.4	
- Sleep	30.5	33.5	
% patients "at risk" of impaired health related quality of life	88.3%	89.9%	
Functional disability	26.0	25.8	
No or m	ninimal / Modera	ate / Severe	
BAPQ Pain-related worry	15.6	15.1	

## **Episode information**

	Your service	All services
Episodes of care started	92	456
Waiting time* (median days)	43.0	29.0
No. of treatment pathways started	62	331
Pathway delivery mode (%) - In clinic care	93.3%	92.7%
- Remote care	1.7%	3.7%
Treatment pathway type (%)		
- Group program	14.5%	10.3%
- Individual	85.5%	88.2%
Episodes of care ended	61	320
Ave length of episode (lapsed days)	358.4	311.1

\* Days from referral received to episode start

# **Collection of patient outcomes**

A detailed summary of outcome collection rates at episode end and at post-episode follow-up can be found in the **appendices of your report**.


# Indicator and benchmark summary

	Your s	Your service		All services	
Benchmark or indicator	Patient outcomes included (n)	Positive outcomes* (%)	Patient outcomes included (n)	Positive outcomes* (%)	
Time from referral to episode start (benchmark) Percentage of episodes started within 8 weeks of referral being received	91	57.1%	453	63.1%	
Average pain (indicator) Percentage of patients with moderate or worse 'average pain' at referral who make a clinically significant improvement at episode end	10	60.0%	55	43.6%	
<b>Paediatric quality of life (indicator)</b> Percentage of patients with at risk status for impaired health related quality of life at referral who make a clinically significant improvement at episode end	14	78.6%	72	72.2%	
<b>Functional disability (indicator)</b> Percentage of patients with at least moderate functional disability at referral who make a clinically significant improvement at episode end	12	58.3%	65	55.4%	

\* Positive outcomes describes the percentage of patients making a clinically significant improvement, or reducing oMEDD by 50% or


having their episode start within 3 months/8 weeks where relevant - is shown for the benchmarks and indicators where less than 10 outcomes are included

#### Time from referral to episode start (benchmark)



#### 8 weeks of receiving referral

### Average pain (indicator)




Patients with at least moderate average pain at referral who make clinically significant improvement at episode end (%)

Paediatric quality of life (indicator)

### Functional disability (indicator)





Patients with impaired health related quality of life at referral who make a clinically significant improvement at episode end (%)

Patients with at least moderate functional disability at referral who make clinically significant improvement at episode end (%)